

Tegra UsaLine 3000mg Full Spectrum Orgânico

Sample ID: 2409DML0850.2771

Strain: LOT # 1374-2

Matrix: Ingestible

Type: Tincture

Sample Size: 5 g; Batch:

Amended Notes:

Produced:

Collection Date/Time: 09/17/2024 08:50

Harvest/Process Lot #:

Completed: 10/07/2024

Batch#: Tegra TIN-1374-2

Client

TegraPharma

Lic. #

3506 St. Valetines Way

Orlando, FL 32811

	0.2880%	10.7153%	11.6650%	Summary Batch Pass Cannabinoids Complete Terpenes Complete Residual Solvents Pass Microbials Pass Mycotoxins Pass Pesticides Pass Heavy Metals Pass Foreign Matter Pass
	Total THC	Total CBD	Total Cannabinoids	

Cannabinoids

Complete

Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result
	%	%	mg/g		%	%	mg/g
CBD	0.0375	10.7153	107.153	CBDVa	0.0375	<LOQ	<LOQ
CBC	0.0375	0.3641	3.641	CBGa	0.0375	<LOQ	<LOQ
Δ9-THC	0.0375	0.2880	2.880	CBN	0.0375	<LOQ	<LOQ
CBG	0.0375	0.1831	1.831	Δ8-THC	0.0375	<LOQ	<LOQ
CBDV	0.0375	0.1146	1.146	THCa	0.0375	<LOQ	<LOQ
CBCa	0.0375	<LOQ	<LOQ	THCV	0.0375	<LOQ	<LOQ
CBDa	0.0375	<LOQ	<LOQ	THCVa	0.0375	<LOQ	<LOQ
				Total		11.6650	116.650

Date Tested: 09/18/2024

Total THC = THCa * 0.877 + d9-THC. Total CBD = CBDa * 0.877 + CBD. The reported results are based on a sample weight with the applicable moisture content for that sample.

Analysis Performed on Liquid Chromatography - Tandem Mass Spectrometry

Terpenes

Complete

Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result
	mg/g	mg/g	%		mg/g	mg/g	%		mg/g	mg/g	%
β-Caryophyllene	0.09	2.26	0.226	Camphene	0.09	<LOQ	<LOQ	Nootkatone	0.09	<LOQ	<LOQ
α-Bisabolol	0.09	0.95	0.095	Camphor	0.09	<LOQ	<LOQ	o-Cymene	0.09	<LOQ	<LOQ
α-Humulene	0.09	0.88	0.088	Carvacrol	0.09	<LOQ	<LOQ	Ocimene	0.09	<LOQ	<LOQ
Phytol	0.18	0.46	0.046	Carvone	0.09	<LOQ	<LOQ	Octyl Acetate	0.09	<LOQ	<LOQ
Guaiol	0.09	0.45	0.045	Cedrol	0.09	<LOQ	<LOQ	(-)-Isopulegol	0.09	<LOQ	<LOQ
β-Myrcene	0.09	0.44	0.044	cis-Citral	0.03	<LOQ	<LOQ	(-)-Verbenone	0.09	<LOQ	<LOQ
cis-Farnesol	0.09	0.34	0.034	Citronellol	0.09	<LOQ	<LOQ	Phytane	0.09	<LOQ	<LOQ
Nerolidol	0.09	0.25	0.025	Eucalyptol	0.09	<LOQ	<LOQ	Piperitone	0.09	<LOQ	<LOQ
Terpinolene	0.09	0.17	0.017	Fenchol	0.09	<LOQ	<LOQ	Pulegone	0.09	<LOQ	<LOQ
β-Farnesene	0.09	0.14	0.014	Fenchone	0.09	<LOQ	<LOQ	p-Cymene	0.09	<LOQ	<LOQ
Caryophyllene Oxide	0.09	0.14	0.014	γ-Terpinene	0.09	<LOQ	<LOQ	Sabinene	0.09	<LOQ	<LOQ
Linalool	0.09	0.12	0.012	Geraniol	0.09	<LOQ	<LOQ	Sabinene Hydrate	0.09	<LOQ	<LOQ
3-Carene	0.09	<LOQ	<LOQ	Geranyl Acetate	0.09	<LOQ	<LOQ	Safranal	0.09	<LOQ	<LOQ
α-Cedrene	0.07	<LOQ	<LOQ	Isoborneol	0.09	<LOQ	<LOQ	Squalene	0.09	<LOQ	<LOQ
α-Phellandrene	0.09	<LOQ	<LOQ	Isobornyl Acetate	0.09	<LOQ	<LOQ	Terpinen-4-ol	0.09	<LOQ	<LOQ
α-Pinene	0.09	<LOQ	<LOQ	Limonene	0.09	<LOQ	<LOQ	Thujone	0.09	<LOQ	<LOQ
α-Terpinene	0.09	<LOQ	<LOQ	m-Cymene	0.09	<LOQ	<LOQ	Thymol	0.09	<LOQ	<LOQ
α-Terpineol	0.09	<LOQ	<LOQ	Menthol	0.09	<LOQ	<LOQ	trans-Citral	0.06	<LOQ	<LOQ
β-Pinene	0.09	<LOQ	<LOQ	Menthone	0.09	<LOQ	<LOQ	Valencene	0.09	<LOQ	<LOQ
Borneol	0.09	<LOQ	<LOQ	Nerol	0.09	<LOQ	<LOQ	Total		6.59	0.659

Date Tested: 09/20/2024

Analysis Performed on Gas Chromatography-Mass Spectrometry



Ben Cortez

Ben Cortez
Laboratory Director
10/07/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



NR = Not reported; ND = Not detected; LOQ = Limit of Quantitation; ULOQ = Upper Limit of Quantitation; CFU/g = Colony forming units per 1 gram; ppm = parts per million, ppb = parts per billion, mg/g = milligrams per gram. This product has been tested by Demeter OK Laboratory LLC d/b/a METIS in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. METIS makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of METIS. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Measurement Uncertainty (MU) is not used when making statements of conformity. MU is available upon request. METIS is ISO 17025:2017 accredited by A2LA, certificate number 5306.01

Tegra UsaLine 3000mg Full Spectrum Orgânico

Sample ID: 2409DML0850.2771

Strain: LOT # 1374-2

Matrix: Ingestible

Type: Tincture

Sample Size: 5 g; Batch:

Amended Notes:

Produced:

Collection Date/Time: 09/17/2024 08:50

Harvest/Process Lot #:

Completed: 10/07/2024

Batch#: Tegra TIN-1374-2

Client

TegraPharma

Lic. #

3506 St. Valetines Way

Orlando, FL 32811

Pesticides Pass

Analyte	LOQ	ULOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.050	1.000	0.500	<LOQ	Pass
Azoxystrobin	0.050	1.000	0.200	<LOQ	Pass
Bifenazate	0.050	1.000	0.200	<LOQ	Pass
Etoxazole	0.050	1.000	0.200	<LOQ	Pass
Imazalil	0.050	1.000	0.200	<LOQ	Pass
Imidacloprid	0.050	1.000	0.400	<LOQ	Pass
Malathion	0.050	1.000	0.200	<LOQ	Pass
Myclobutanil	0.050	1.000	0.200	<LOQ	Pass
Permethrins	0.050	1.000	0.200	<LOQ	Pass
Spinosad	0.050	1.000	0.200	<LOQ	Pass
Spiromesifen	0.050	1.000	0.200	<LOQ	Pass
Spirotetramat	0.050	1.000	0.200	<LOQ	Pass
Tebuconazole	0.050	1.000	0.400	<LOQ	Pass

Date Tested: 09/23/2024

Analysis Performed on Liquid Chromatography -Tandem Mass Spectrometry

Mycotoxins Pass

Analyte	LOQ	ULOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Aflatoxins	5.00		20.00	<LOQ	Pass
B1	5.00	100.00	20.00	<LOQ	Pass
B2	5.00	100.00	20.00	<LOQ	Pass
G1	5.00	100.00	20.00	<LOQ	Pass
G2	5.00	100.00	20.00	<LOQ	Pass
Ochratoxin A	5.00	100.00	20.00	<LOQ	Pass

Date Tested: 09/23/2024

Analysis performed on Liquid Chromatography-Tandem Mass Spectrometry

Heavy Metals Pass

Analyte	LOQ	ULOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.100	2.000	0.200	<LOQ	Pass
Cadmium	0.100	2.000	0.200	<LOQ	Pass
Lead	0.250	5.000	0.500	<LOQ	Pass
Mercury	0.050	1.000	0.100	<LOQ	Pass

Date Tested: 09/19/2024

Analysis performed on Inductively Coupled Plasma-Mass Spectrometry

Microbials Pass

Analyte	Limit	Result	Status
	CFU/g	CFU/g	
Aspergillus flavus		ND	Pass
Aspergillus fumigatus		ND	Pass
Aspergillus niger		ND	Pass
Aspergillus terreus		ND	Pass
Salmonella		ND	Pass
Shiga Toxin E. Coli		ND	Pass
Yeast & Mold	10000	ND	Pass

Date Tested: 09/19/2024

Analysis performed with Polymerase Chain Reaction (qPCR) for species. Analysis performed for total yeast and mold utilizing qPCR.

Residual Solvents Pass

Analyte	LOQ	ULOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Acetone	219.00	7000.00	1000.00	<LOQ	Pass
Benzene	0.19	6.00	2.00	<LOQ	Pass
Butanes	15.60	1250.00	1000.00	<LOQ	Pass
Ethanol	219.00	7000.00	5000.00	<LOQ	Pass
Ethyl-Acetate	219.00	7000.00	1000.00	<LOQ	Pass
Heptanes	219.00	7000.00	1000.00	<LOQ	Pass
Isopropanol	219.00	7000.00	1000.00	<LOQ	Pass
Methanol	281.00	9000.00	600.00	<LOQ	Pass
n-Hexane	27.20	870.00	60.00	<LOQ	Pass
Pentane	219.00	7000.00	1000.00	<LOQ	Pass
Propane	15.60	1250.00	1000.00	<LOQ	Pass
Toluene	83.40	2670.00	180.00	<LOQ	Pass
Xylenes	203.00	13000.00	430.00	<LOQ	Pass

Date Tested: 09/19/2024

Analysis performed on Headspace-Gas Chromatography-Mass Spectrometry

Foreign Matter

Pass

0 %

(Limit: > 2 %)
 Instrument: Optical

Moisture

Not Tested

NT

(Limit: > %)

Water Activity

Not Tested

NT

(Limit: > aw)



Ben Cortez
Laboratory Director
10/07/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



NR = Not reported; ND = Not detected; LOQ = Limit of Quantitation; ULOQ = Upper Limit of Quantitation; CFU/g = Colony forming units per 1 gram; ppm = parts per million, ppb = parts per billion, mg/g = milligrams per gram. This product has been tested by Demeter OK Laboratory LLC d/b/a METIS in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. METIS makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of METIS. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Measurement Uncertainty (MU) is not used when making statements of conformity. MU is available upon request. METIS is ISO 17025:2017 accredited by A2LA, certificate number 5306.01